

# BYRNE

## Pattern®

### System Overview

#### OVERVIEW

---

Pattern powers any collaborative center with easy access around the table perimeter – right where you need it, using only a single outlet to get the job done. Its mighty corded infeed installs at either the edge or center of the table...whatever works for you. No hardwiring, no hassle.

#### FEATURES AND BENEFITS

---

- One Plug
- No electrician
- Up to 25 ft. of infeed cord

#### APPLICATIONS

---

- Desking/Benching
- Conference
- Locker Kits
- Auditoriums
- Airports
- Collaboration & Lounge



#### LISTING

---

ETL Listed Furniture Power Distribution Unit, UL962A

NYC & Chicago Codes Compliant


Circuit/Rating:

The Byrne Pattern System is rated for 15 Amps using a completely corded solution.

Users can connect up to 10 Distribution blocks (20 Accessories) per power infeed. However the number of units recommended will vary depending on the load requirements by the users. Consult a Byrne customer service representative to determine the best solution for your application.



POWER INFEED




AVAILABLE WITH:

Length 72"  
BE07590-E-72

Length 108"  
BE07590-E-108

Length 120"  
BE07590-E-120




AVAILABLE WITH:

Length 72"  
BE07590-E-SB72

Length 108"  
BE07590-E-SB108

Length 120"  
BE07590-E-SB120



Curly Length 163"  
BE07590-E-5CB




Curly Length 163"  
BE07590-E-5SB

\*Other curly/straight cord  
lengths are considered a  
special

Special Length  
BE07590-E-XX

SURGE PROTECTED PLUG HEAD




Length 120"  
BE0759-E-S120




Curly Length 163"  
BE0759-E-5Su


DISTRIBUTION BLOCKS




Accessory  
Distribution Block (Grey)  
BE07591-EF



3 Way Splitter  
Distribution Block (Black)  
BE07591-E




Accessory  
Distribution Block (White)  
BE07591-FFE



Accessory Distribution  
Block (Pinecone)  
BE07591-FFF

## JUMPERS



AVAILABLE WITH:

Length 48"  
BE07592-E-48

Length 84"  
BE07592-E-84

Length 60"  
BE07592-E-60

Length 96"  
BE07592-E-96

Length 72"  
BE07592-E-72

Length 108"  
BE07592-E-108




Curly Length 163"  
BE07592-E-CC5

\*Other curly/straight cord lengths are  
considered a special

Special Length  
BE07592-E-XX

## ACCESSORY CORD

\* Cords listed below are the cord that come from the accessory listed on the following page.



AVAILABLE WITH:


Length 24"

Length 60"

Length 36"

Length 72"

Length 48"




Curly Length 163"


AVAILABLE ACCESSORIES

\* Images are generic representations of Accessories listed below. The accessories are able to be customized to any port size, mounting style and finish option available for that unit currently. This doesn't affect the listing to use this product.


**ASSEMBLE**  
BE07562




**AXIL**  
BE07566



**DEAN**  
BE07582




**ELLORA**  
BE07567




Includes: Ellora B, E2X, E2XB


**ELLORA WELL**  
BE07622



**ELLORA QI**  
BE07586




**MHOB**  
BE07564




Includes: M2XB

**MHO**  
BE07563



Includes: M2X, & MS2


**FINCH**  
BE01032




**NODE**  
BE07577



**SNAP-IN DUPLEX**  
BE010115



**MOIRE**  
BE07574




**BURELE**  
BE07575




**BURELE (2-PORT)**  
BE07587




**HQ2**  
BE07585



**NACRE**  
BE07576




**NACRE (2-PORT)**  
BE07588




**PEPPER**  
BE07583



**GLENBEIGH**  
BE07565




**PLASTIC SURFACE  
MOUNT MINITAP**  
BE07578




**MINITAP**  
BE07570



**HYDRAPLEX**  
BE07631-XX



**HYDRA**  
BE07608-XX



Standards kits available for easy online ordering.

- Desks
- Height-Adjustable desks
- Conference Tables
- Lockers



## LISTING

ETL Listed Furniture Power Distribution Unit,  
UL962A

NYC & Chicago Codes Compliant

Circuit/Rating:

The Byrne Pattern System is rated for 15 Amps  
using a completely corded solution.

Users can connect up to 10 Distribution blocks  
(20 Accessories) per power infeed. However the  
number of units recommended will vary depending  
on the load requirements by the users. Consult a  
Byrne customer service representative to determine  
the best solution for your application.

\*The pattern system cannot exceed a maximum of 15A of power draw.

## AVERAGE AMPS USED BY COMMON DEVICES

Item	Amp(s)
Landline Office Phone	0.1
Computer Monitor	0.5
LED Task Light	0.5
Oscillating Fan	0.5-1
Electric Heated Blanket	0.5-1.5
Television (42")	1
Bluetooth Speaker	1-2
Small Paper Shredder	1-2
Tablet	1-2
Wireless Charging Pad	1-4
Laptop	2-3
Projector	2-4
USB Charger	2-5
Scanner	3
Inkjet Printer	3-5
Desktop Computer	4
Desktop 3D Printer	5
Laser Printer	5-8
Refrigerator	5-8
Electric Kettle	7-12
Microwave	7-15
Coffee Maker	10-13
Space Heater	12-14
Copy Machine (Xerox)	20